

Item	Qty	Description
------	-----	-------------

**BACK OF HOUSE**

N-100 1 ea

**THREE (3) COMPARTMENT SINK**



Custom Fab Model No. 3PB1620-2D24  
 Pro-Bowl Sink, 3-compartment, 99-1/4"W x 25-1/2"D x 44-1/16"H overall size, (3) 16"W x 20" front-to-back x 12" deep compartments, (2) 24" left & right drainboards, 10"H boxed backsplash with 45° top and 2" return, (1) set of splash mount faucet holes with 8" centers, 3-1/2" die-stamped drain opening, 16/300 stainless steel construction, stainless steel legs, adjustable front & side bracing, adjustable bullet feet, NSF, CSA-Sanitation, KD

**\*\*JBC closest match to floor plan\*\***

- 1 ea T&S Brass B-0133-M PRERINSE W/MIXING FAUCET-SPLASH MOUNT
- 1 ea T&S Brass B-0109-01M WALL BRACKET W/6" NIPPLE
- 1 ea T&S Brass B-0156-CR-M ADD ON FAUCET W/12" SPOUT
- 3 ea T&S Brass B-3952 TWIST WASTE 2" NPT 3-1/2" OPENING

N-101 1 ea

**ONE (1) COMPARTMENT SINK**



Custom Fab Model No. 1PB20  
 Pro-Bowl Sink, 1-compartment, 25-1/8"W x 25-1/2"D x 44-1/16"H overall size, (1) 20"W x 20" front-to-back x 12" deep compartment, 10"H boxed backsplash with 45° top and 2" return, (1) set of splash mount faucet holes with 8" centers, 3-1/2" die-stamped drain opening, 16/300 stainless steel construction, stainless steel legs, adjustable front & side bracing, adjustable bullet feet, NSF, CSA-Sanitation, KD

- 1 ea T&S Brass B-3952 TWIST WASTE 2" NPT 3-1/2" OPENING
- 1 ea T&S Brass B-0231-CR-M FAUCET SPLASH MIXING W/12" SWING NOZZLE

N-102 1 ea

**HAND SINK**



Custom Fab Model No. PBHS-W-1410-P-SSLR-X  
 Pro-Bowl Hand Sink, wall mount, 14"W x 10" front-to-back x 5" deep bowl, splash mount faucet holes with 4" centers, 1-7/8" drain opening with basket drain, with left & right side splashes, includes mounting bracket, all stainless steel construction, NSF, CSA-Sanitation (splash mount faucet included) (Available in Effingham and Nevada)

**Qty**

- 1 ea John Boos Standard flyer accessories only, NO modifications to flyer items allowed or their accessories
- 1 kt PB-SMMK-90 Splash Mount Faucet Mounting Kit, includes (2) 1/2" supply nipples, (2) retainer nuts, (2) lock washers, (2) rubber washers and (2) male & female short 90° elbows

**N103 1 ea REACH-IN REFRIGERATOR**

True Manufacturing Co., Inc. Model No. TS-49-HC Refrigerator, Reach-in, two-section, (2) stainless steel doors, stainless steel front/sides, stainless steel interior, (6) gray PVC coated wire shelves, interior lighting, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1, 5.4 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, MADE IN USA

- 1 ea Self-contained refrigeration standard
- 1 ea Warranty - 5 year compressor (self-contained only), please visit [www.Truemfg.com](http://www.Truemfg.com) for specifics
- 1 ea 4" stem castors, standard (adds 5" to OA height)
- 1 ea Warranty - 3 year parts and labor, please visit [www.Truemfg.com](http://www.Truemfg.com) for specifics
- 1 ea Left door hinged left, right door hinged right standard

**N104 1 ea REACH-IN FREEZER**

True Manufacturing Co., Inc. Model No. T-23F-HC Freezer, Reach-in, -10° F, one-section, stainless steel door, stainless steel front, aluminum sides, clear coated aluminum interior with stainless steel floor, (3) adjustable PVC-coated wire shelves, interior lighting, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1, 3.7 amps, NEMA 5-15P, cULus, UL EPH Classified, MADE IN USA, ENERGY STAR®

- 1 ea NOTE: Commonly stocked model in right and left hinge; verify availability with factory
- 1 ea Self-contained refrigeration standard
- 1 ea Warranty - 5 year compressor (self-contained only), please visit [www.Truemfg.com](http://www.Truemfg.com) for specifics
- 1 ea 4" stem castors, standard (adds 5" to OA height)
- 1 ea Warranty - 3 year parts and labor, please visit [www.Truemfg.com](http://www.Truemfg.com) for specifics
- 1 ea Door hinged right standard

**N105 1 ea ICE CUBER**

Scotsman Model No. C0522MA-1 Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 475 lb/24 hours at 70°/50° (340 lb AHRI certified at 90°/70°), stainless steel finish, medium cube size, 115v/60/1-ph, 13.5 amps, cULus, NSF, CE

- 1 ea 3 year parts & labor warranties
- 1 ea 5 year parts & labor warranties on Evaporator
- 1 ea 5 year parts on compressor & condenser

Qty

1 ea 3 year parts &amp; labor warranties

**N106 1 ea ICE BIN**

Scotsman Model No. B322S

Ice Bin, top-hinged front-opening door, 370 lb application capacity, for top-mounted ice maker, polyethylene liner, metallic finish exterior, includes 6" legs, NSF

**N-107 2 ea WORK TABLE, 48", STAINLESS STEEL TOP**

Custom Fab Model No. ST6R5-2448SSK-X

Work Table, 48"W x 24"D, 16/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation, KD (Available in Effingham and Nevada)

1 ea ST6R5-3048SSK-X Work Table, 48"W x 30"D, 16/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation, KD (Available in Effingham and Nevada)

**N110 1 ea MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR**

True Manufacturing Co., Inc. Model No. TSSU-72-30M-B-ST-HC

Mega Top Sandwich/Salad Unit, (30) 1/6 size (4"D) poly pans, (2) stainless steel insulated covers, 8-7/8"D cutting board, stainless steel top, front and sides, aluminum back, (3) full doors, (6) shelves, aluminum interior with stainless steel floor, 5" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1, 7.2 amps, NEMA 5-15P, cULus, UL EPH Classified, MADE IN USA

1 ea Warranty - 3 year parts and labor, please visit [www.Truemfg.com](http://www.Truemfg.com) for specifics

1 ea Self-contained refrigeration standard

1 ea Warranty - 5 year compressor (self-contained only), please visit [www.Truemfg.com](http://www.Truemfg.com) for specifics

1 ea 5" Castors, standard

**N112 1 ea MOBILE HEATED CABINET**

Metro Model No. C569L-SFC-U

C5™ 6 Series Heated Holding Cabinet, mobile, full height, insulated, tempered double pane glass doors, top mount controls & analog thermometer, ducted heating system, thermostat 70° to 200°F temp, universal wire slides (18) 18" x 26" or (34) 12" x 20" x 2-1/2" pan capacity, 3" OC (adjustable on 1-1/2" increments), 5" casters (2 with brakes), 304 stainless steel, 120v/60/1-ph, 1440 watts, 12 amps, NEMA 5-15P UL CUL NSF

Qty

N150

**SERVICE CART**

N160

2 ea

**GARBAGE CAN**

Rubbermaid Commercial Products Model No. FG354060BLA  
TRASH CONT SLIM JIM 23 GL BK

N-  
162R

1 ea

**CLEAN DISHTABLE**

Custom Fab Model No. CDT6-S48SBK-R  
Pro-Bowl Clean Dishtable, straight design, 48"W x 30"D x 44"H overall  
size, left-to-right operation, 10"H boxed backsplash with 45° & 2"  
return, 2-1/4"H rolled edge, 16/300 stainless steel top, stainless steel  
legs, bracing, & adjustable bullet feet, NSF

1 ea

John Boos SPECIFY DISH MACHINE BRAND AND MODEL. John Boos  
standard opening is 20-7/8". Certain dish machines require  
modification at additional cost not shown here.

\*\*Dishmachine: Hobart Model No. AM15VL-2\*\*

N-162L

1 ea

**SOILED DISHTABLE**

Custom Fab Model No. SDT6-S48SBK-L  
Pro-Bowl Soiled Dishtable, straight design, 48"W x 30"D x 44"H overall  
size, left-to-right operation, (1) 20"W x 20" front-to-back x 8" deep  
pre-rinse sink bowl, 10"H boxed backsplash with 45° top & 2" return,  
(1) set of splash mount faucet holes with 8" centers, 2-1/4"H rolled  
edge, 16/300 stainless steel top, stainless steel legs, bracing, &  
adjustable bullet feet, NSF

1 ea

John Boos SPECIFY DISH MACHINE BRAND AND MODEL. John Boos  
standard opening is 20-7/8". Certain dish machines require  
modification at additional cost not shown here.

\*\*Dishmachine: Hobart Model No. AM15VL-2\*\*

1 pr

X-0440A Vac breaker holes in backsplash, per pair (modification)

1 ea

X-0440B Disposal cut-out with collar (collar supplied by KEC)  
(modification)

## Qty

1 ea X-0440DA Stainless steel disposal switch plate, (11" x 17")  
(modification)

---

N163 1 ea **DISHWASHER, DOOR TYPE, VENTLESS**

Hobart Model No. AM15VL-2

Ventless Door Type Dishwasher, Energy Recovery, hot water sanitize, internal condensing system, 40 racks/hr, Straight-thru or corner, solid-state controls with digital status, booster heater, electric tank heat, auto-fill, stainless steel tank, doors & feet, 208-240/60/3, ENERGY STAR®, Free factory startup for installations within a 50 mile radius of a Hobart service office; installation beyond 50 miles will be charged at the quoted rate by the local Hobart service office

1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA

1 ea DOOR LOCK NO Without Door lock

---

N164 1 ea **DRYING RACK UNIT**



Metro Model No. PR48X3

MetroMax® i Stationary Drying Rack Unit, 48"W x 24"D x 74", 4-tier, includes: (2) shelves, (2) open shelf frames, (4) 74" posts, (2) drop-ins & (1) cutting board/tray drying rack, built in Microban® antimicrobial product protection, NSF

---

N165 1 ea **PRE-RINSE FAUCET ASSEMBLY, WITH ADD ON FAUCET**



T&S Brass Model No. B-0133-A08-B08C

EasyInstall Pre-Rinse Unit, spring action gooseneck, 8" wall mount, JeTSpray low flow valve 0.65 gallons per minute, 8" add-on faucet, wall bracket

---

N166 1 ea **DISPOSER**



Salvajor Model No. 200-SA-6-ARSS-LD

Disposer, Sink Assembly, 6-1/2" sink collar, 2 Hp motor, start/stop push button, drain/flush/time delay, automatic reversing & water saving with safety line disconnect ARSS-LD control, includes fixed nozzle, chrome plated vacuum breaker, solenoid valve, sink stopper & flow control, heat treated aluminum alloy housing, UL, CSA, CE

1 ea 230v/60/3-ph, 6.0 amps

1 ea 980105 Mounting bracket for ARSS-2, ARSS, & ARSS-LD

1 ea LSA8 Disposer support leg, for 3/4 HP - 2 HP disposers

---

## Qty

- N167 2 ea **DISHTABLE SORTING SHELF**  
 Custom Fab Model No. PB-SRW-42-X  
 Sorting Shelf, 42"W x 18"D X 16-1/2"H, holds (2) racks, wall mounted, solid, includes brackets, 18/300 stainless steel, NSF



## PIZZA

- N-102 1 ea **HAND SINK**  
 Custom Fab Model No. PBHS-W-1410-P-SSLR-X  
 Pro-Bowl Hand Sink, wall mount, 14"W x 10" front-to-back x 5" deep bowl, splash mount faucet holes with 4" centers, 1-7/8" drain opening with basket drain, with left & right side splashes, includes mounting bracket, all stainless steel construction, NSF, CSA-Sanitation (splash mount faucet included) (Available in Effingham and Nevada)
- 1 ea John Boos Standard flyer accessories only, NO modifications to flyer items allowed or their accessories
- 1 kt PB-SMMK-90 Splash Mount Faucet Mounting Kit, includes (2) 1/2" supply nipples, (2) retainer nuts, (2) lock washers, (2) rubber washers and (2) male & female short 90° elbows






- N113 2 ea **CONVEYOR OVEN, ELECTRIC**  
 TurboChef Model No. HHC2620 VNTLSS  
 High h Conveyor 2620™ Conveyor Oven, Rapid Cook, electric, countertop, stackable design (requires stacking kit), 26" wide by 20" length cook chamber, variable speed motor, idle mode, built-in self diagnostics, smart voltage sensor technology, cool to touch covers and panels, stainless steel front, top, sides and back, stainless steel interior, cULus, CE, UL EPH Classified, ANSI/NSF 4, TUV (ventless)
- 2 ea All items FOB: Carrollton, Texas: Consumable/accessory orders less than \$5,000 will incur a handling fee. Orders shipping standard ground will incur a \$15.00 handling fee. Orders shipping other than standard ground will incur \$25.00 handling fee
- 2 ea One year parts and labor warranty
- 2 ea 208/240v/50/60/3-ph, 40.0amps, 6 foot cord (nominal), NEMA 15-50P, standard
- 2 ea HCT-3029 Kit, Stacking, includes diverter brackets, HhC 2020 to HhC 2020 Oven or HhC 2620 to HhC 2620 Oven
- 2 ea CON-7006 ChefComm Pro, Full Access, with USB Smart Card Reader
- 2 ea 100011 Basket, Cooking PTFE, Mesh, 14.5" x 13.5" x 1" (363mm x 343mm x 25mm)
- 2 ea 100018 Screen, Cooking, PTFE, Mesh, 14" x 16" (35.6 cm x 40.6 cm)
- 2 ea I1-9716 Paddle, Aluminum, 9.6" x 13.6" (24.4 cm x 34.5 cm)
- 2 ea HCW-4099 Jetplate, standard, top or bottom, for HhC 2620 oven



\$2,985.00




\$2,985.00




Item	Qty	Description
N114	1 ea	<b>REACH-IN REFRIGERATOR</b>
		<p>True Manufacturing Co., Inc. Model No. T-23G-HC~FGD01 Refrigerator, Reach-in, one-section, framed glass door version 01, (1) glass door, stainless steel front, aluminum sides, clear coated aluminum interior with stainless steel floor, (3) adjustable PVC-coated wire shelves, LED interior lighting, 4" castors, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1, 2.2 amps, NEMA 5-15P, cULus, UL EPH Classified, MADE IN USA</p>
		1 ea NOTE: Commonly stocked model in right and left hinge; verify availability with factory
		1 ea Self-contained refrigeration standard
		1 ea Warranty - 5 year compressor (self-contained only), please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics
		1 ea 4" stem castors, standard (adds 5" to OA height)
		1 ea Warranty - 3 year parts and labor, please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics
		1 ea Door hinged right standard
N115	1 ea	<b>PIZZA PREPARATION REFRIGERATOR</b>
		<p>True Manufacturing Co., Inc. Model No. TPP-AT-60D-2-HC Pizza Prep, 33-41°F pan rail, stainless steel cover, 19.5"D cutting board, stainless steel front, top &amp; sides, (1) full doors, (2) drawers, accommodates (2) 12"x20"x8"D pans (NOT included), (2) adjustable wire shelves, includes (8) 1/3 size clear polycarbonate insert pans (top), aluminum interior with stainless steel floor, 5" castors, front breathing, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1, 3.9 amps, NEMA 5-15P, UL EPH Classified, cULus, CE, MADE IN USA</p>
		1 ea Self-contained refrigeration standard
		1 ea Warranty - 5 year compressor (self-contained only), please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics
		1 ea Warranty - 3 year parts and labor, please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics
		1 ea 5" Castors, standard
N117	1 ea	<b>DISPLAY MERCHANDISER, HEATED, FOR MULTI-PRODUCT</b>
		<p>Hatco Model No. GR3SDH-39D Glo-Ray® Designer Horizontal Display Warmer, (21) rods, countertop, dual shelf, adjustable thermostat, hardcoated heated base, heated glass shelves, tempered glass side panels, LED display lights, stainless steel or designer colors, 2685 watts, cULus, UL EPH Classified, ANSI/NSF 4, Made in USA</p>
		1 ea 120/208v/60/1-ph, 2685 watts, 12.3 amps, NEMA L14-20P



Item	Qty	Description
------	-----	-------------

Page intentionally left blank



Item	Qty	Description
N151	1 ea	<b>BUN / SHEET PAN RACK</b> Metro Model No. RD13N Tray Rack, mobile, end load, single section, pass-thru, 21-1/4"W x 69-1/4"H, 26-1/2"D, pass-thru, open sides with slides for (40) 18" x 26" pans, slides on 1-1/2" centers, riveted aluminum construction, NSF
		
N160	2 ea	<b>GARBAGE CAN</b> Rubbermaid Commercial Products Model No. FG354060BLA Slim Jim® Container, 23 gallon, 22"W x 11"D x 30"H, with venting channels, molded-in handles, general purpose waste, open type without lid, high-impact plastic construction, black, Made in USA
		
N168A	2 ea	<b>SNEEZE GUARDS</b> BSI Model No. CUSTOM FOOD SERVING Zguard: 44" OA --- Includes (2) ZGUARD 9600 Adjustable portable Series End Post(s) BRUSHED ALUMINUM Finish, 3/8" tempered glass front panels, DOES NOT INCLUDE TOP SHELVES, (1) 1/4" tempered glass RIGHT end panel, (1) 1/4" tempered glass LEFT end panel, Unit shall be shipped knocked down to accommodate packing and shipping. Some assembly is required on-site by others., (65) # shipping weight each. Does not include Heat Lamps or Lights
<b>GRILL</b>		
N-102	1 ea	<b>HAND SINK</b> Custom Fab Model No. PBHS-W-1410-P-SSLR-X Pro-Bowl Hand Sink, wall mount, 14"W x 10" front-to-back x 5" deep bowl, splash mount faucet holes with 4" centers, 1-7/8" drain opening with basket drain, with left & right side splashes, includes mounting bracket, all stainless steel construction, NSF, CSA-Sanitation (splash mount faucet included) (Available in Effingham and Nevada)
		
1 ea John Boos Standard flyer accessories only, NO modifications to flyer items allowed or their accessories 1 kt PB-SMMK-90 Splash Mount Faucet Mounting Kit, includes (2) 1/2" supply nipples, (2) retainer nuts, (2) lock washers, (2) rubber washers and (2) male & female short 90° elbows		
N104	2 ea	<b>REACH-IN FREEZER</b>

Item	Qty	Description
		<p>True Manufacturing Co., Inc. Model No. T-23F-HC Freezer, Reach-in, -10° F, one-section, stainless steel door, stainless steel front, aluminum sides, clear coated aluminum interior with stainless steel floor, (3) adjustable PVC-coated wire shelves, interior lighting, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1, 3.7 amps, NEMA 5-15P, cULus, UL EPH Classified, MADE IN USA, ENERGY STAR®</p> <p>2 ea NOTE: Commonly stocked model in right and left hinge; verify availability with factory</p> <p>2 ea Self-contained refrigeration standard</p> <p>2 ea Warranty - 5 year compressor (self-contained only), please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics</p> <p>2 ea 4" stem castors, standard (adds 5" to OA height)</p> <p>2 ea Warranty - 3 year parts and labor, please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics</p> <p>2 ea Door hinged right standard</p>
N-109	1 ea	<p><b>WORK TABLE, 36", STAINLESS STEEL TOP</b></p> <p>Custom Fab Model No. ST6R5-3636SSK</p> <p>Work Table, 36"W x 36"D, 16/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs &amp; adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation, KD</p>
	2 ea	<p><b>FRYER, 40LBS, GAS, OPEN POT, FLOORMODEL</b></p> <p>Frymaster Model No. MJ140</p> <p>Performance Fryer, gas, floor model, 40 lb. oil capacity, open frypot design, millivolt controller, centerline fast-action temperature probe, EZSpark™ ignitor, thermostat knob behind front panel, over-the-flue basket hangers, includes: rack-type basket support, covers &amp; (2) twin baskets, flue deflector, stainless steel frypot, door &amp; cabinet, 110,000 BTU, NSF, CSA, cCSAus, CSA Star</p> <p>1 ea Natural gas (specify elevation if over 2,000 ft.)</p> <p>2 ea Legs &amp; casters (full set of each), standard</p> <p>1 ea Start-Up Program, for first frypot (when purchased without filtration) (Contact Authorized Service Agent at least 48 hours in advance) (net)</p> <p>1 ea Start-Up Program includes gas pressure check, boil out of all frypots, gas plumbing size, wiring inspection, proper basket lift operation, cleaning of all frypots with damp rag/paper towels, controller check &amp; programming demonstration, inspection of vent hood &amp; demonstration of the proper use &amp; care of the filter sys (if all is</p>
		

Item	Qty	Description
		applicable)
		2 kt Dormont 1675KIT48 QUICK DISCONNECT KIT 3/4" X48"
N119	1 ea	<p><b>FRENCH FRY WARMER</b>  Frymaster Model No. FWH-1  Food Warmer &amp; Holding Station, ceramic heating element with wire guard, radiant heat, includes; heat lamp, cord &amp; plug, 12 x 20 x 2-1/2" stainless steel cafeteria-style pan &amp; screen (additional cabinet required), NSF, cULus</p>  <p>1 ea Note: Prices listed are for within the USA only. Please contact the factory for pricing if quoting outside of the USA</p> <p>1 ea 120v/60/1-ph, 6.3 amps, standard, for heat lamp</p>
N120	1 ea	<p><b>SHELVING, WALL MOUNTED</b>  Metro Model No. 12WS32C  Regular Erecta® Wall Shelf Kit, 38-1/4"W x 13"D x 21"H, includes: (2) 36"W x 12"D shelves, shelf supports &amp; mounting brackets (wall bolts &amp; screws not included), chrome, NSF</p> 
N124R L	1 ea	<p><b>HOOD SYSTEM – BY OTHERS</b>  Captive-Aire Model No. CUSTOM VENTILATION-FIRE SUPP.</p> <p>Hood #1 - N-124L - Job #3946462  6024ND-2-ACPSP-F - 9ft 0" Long Exhaust-Only Wall Canopy Hood with Front Perforated Supply Plenum with Built-in 3" Back Standoff  – 100% 304 SS  – FILTER - 20" tall x 16" ( 19.625" by 15.625") wide Stainless Steel Captrate Solo filter with hook, ETL Listed. Particulate capture efficiency: 85% efficient at 9 microns, 76% efficient at 5 microns. Used on hoods shipped AFTER 7/27/17.  – 12" x 12" Recessed LED Light, 4K natural output.  – EXHAUST RISER - Factory installed 14" Diameter X 4" Height  – SUPPLY RISER - 12"x 24" Supply Riser with Volume Dampers  – SUPPLY RISER - 10" Square to 8" Round Supply Collar with 8" Round Volume Damper. Nailor 1090 Series.  – 1/2 Pint Grease Cup New Style, Flanged Slotted  – FIELD WRAPPER 18.00" High Front, Left  – BACKSPLASH 80.00" High X 216.00" Long 304 SS Vertical (Includes End Caps &amp; Divider Bars)  – LEFT VERTICAL END PANEL 27" Top Width, 21" Bottom Width, 80" High Insulated 304 SS</p> <p>Hood #2 - N-124R - Job #3946462  6024ND-2-ACPSP-F - 9ft 0" Long Exhaust-Only Wall Canopy Hood with Front Perforated Supply Plenum with Built-in 3" Back Standoff  – 100% 304 SS  – FILTER - 20" tall x 16" ( 19.625" by 15.625") wide Stainless Steel Captrate Solo filter with hook, ETL Listed. Particulate capture efficiency: 85% efficient at 9 microns, 76% efficient at 5 microns. Used</p>


Item	Qty	Description
		<p>on hoods shipped AFTER 7/27/17.</p> <ul style="list-style-type: none"> <li>- 12" x 12" Recessed LED Light, 4K natural output.</li> <li>- EXHAUST RISER - Factory installed 14" Diameter X 4" Height</li> <li>- SUPPLY RISER - 12"x 24" Supply Riser with Volume Dampers</li> <li>- SUPPLY RISER - 10" Square to 8" Round Supply Collar with 8" Round Volume Damper. Nailor 1090 Series.</li> <li>- 1/2 Pint Grease Cup New Style, Flanged Slotted</li> <li>- FIELD WRAPPER 18.00" High Front, Right</li> <li>- Face Mount 1st Switch</li> <li>- RIGHT VERTICAL END PANEL 27" Top Width, 21" Bottom Width, 80" High Insulated 304 SS</li> <li>- Face Mount Extra Switch(es)</li> </ul> <p>Fire System #1 - N-124 - Job #3946462</p> <p>ANSUL-3.0/3.0 Ansul 6 gallon Wall Mounted Fire System (includes pre-piped hood(s) and detection).</p> <p>Includes piping for hoods: 1, 2.</p> <ul style="list-style-type: none"> <li>- Fire System Hookup with union labor, one mechanical gas valve per system (each valve, up to 2", installed by plumber), one test per system for the AHJ and permit:</li> <li>- MGVA2 GAS VALVE - 2" Mechanical Shutoff Valve (Ansul)(28-55610) - Includes Upstream Strainer assembly</li> </ul> <p>Electrical System #1 - N-124 - Job #3946462</p> <p>DCV-2111 Demand Control Ventilation, w/ control for 2 Exhaust Fans, 1 Supply Fan, Exhaust on in Fire, Lights out in Fire, Fans modulate based on duct temperature. INVERTER DUTY 3 PHASE MOTOR REQUIRED FOR USE WITH VFD. Room temperature sensor shipped loose for field installation. Verify distance between VFD and Motor; additional cost could apply if distance exceeds 50 feet. Includes 2 Duct Thermostat kits.</p> <ul style="list-style-type: none"> <li>- ESV152N02YXB571 - Variable Frequency Drive - 2 HP Max., 200/240 V, Single or Three Phase Input, 7.0 A Max., NEMA 1 Enclosure, with 2RJ-45 FOR MODBUS</li> <li>- ESV152N02YXB571 - Variable Frequency Drive - 2 HP Max., 200/240 V, Single or Three Phase Input, 7.0 A Max., NEMA 1 Enclosure, with 2RJ-45 FOR MODBUS</li> <li>- ESV402N02TXB571 - Variable Frequency Drive - 5 HP Max., 200/240 V, Three Phase, 16.5 A Max., NEMA 1 Enclosure, with 2RJ-45 FOR MODBUS</li> <li>- 20 wide X18 tall X8.62 deep SS HINGED ELECTRICAL BOX NEMA 1-VENTED. Includes Fan Filter Assembly. -USED ON CONTROL PANELS WITH VFD(S).</li> <li>- VERIZON CELLULAR KIT, WIRED ANTENNA AND VERIZON DATA FOR 1 YEARS.</li> <li>- AC-PSP thermostat kit, includes 1x duct thermostat, quick seal, and j-box for monitoring of AC-PSP discharge temperature.</li> <li>- Digital Prewire Lighting Relay Kit. Includes hood lighting relay &amp; terminal blocks. Allows for up to 1400W of lighting each.</li> <li>- Thermistor CABLE - 18/2 AWG GREEN WHITE, plenum rated. USED for thermistor duct stat. Per Foot Price.</li> <li>- CAT-5E CABLE - 25 Foot.</li> </ul>




N124.1





**FIRE SYSTEM**

&lt;Included&gt;



Item	Qty	Description	Sell	Sell Total
		Fire System		
N124.2		<b>ELECTRICAL</b> Electrical System		<Included>
N127	2 ea	<b>DISPLAY MERCHANDISER, HEATED, FOR MULTI-PRODUCT</b> Hatco Model No. GR3SDH-39D Glo-Ray® Designer Horizontal Display Warmer, (21) rods, countertop, dual shelf, adjustable thermostat, hardcoated heated base, heated glass shelves, tempered glass side panels, LED display lights, stainless steel or designer colors, 2685 watts, cULus, UL EPH Classified, ANSI/NSF 4, Made in USA		
	1 ea	NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details		
	1 ea	NOTE: Includes 24/7 parts & service assistance, call 800-558-0607		
	2 ea	One year on-site parts and labor warranty, plus one additional year parts only warranty on all Glo-Ray metal sheathed elements		
	2 ea	One year parts warranty on Glo-Ray halient ribbon elements against burnout		
	2 ea	One year parts warranty on heated glass shelves against burnout or breakage		
	2 ea	120/208v/60/1-ph, 2685 watts, 12.3 amps, NEMA L14-20P		
	2 ea	SPECIFY MUST SPECIFY designer color selected from list of standard colors and indicated on order (Available at time of purchase only)		
N128	2 ea	<b>REACH-IN UNDERCOUNTER FREEZER</b> True Manufacturing Co., Inc. Model No. TUC-60F-LP-HC Low Profile Undercounter Freezer, -10° F, stainless steel top & sides, (2) stainless steel doors, (4) shelves, aluminum interior with stainless steel floor, 1-1/2" dia dual swivel castors, 31-7/8" counter height, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1, 4.8 amps, NEMA 5-15P, cULus, UL EPH Classified, MADE IN USA		
	2 ea	Self-contained refrigeration standard		
	2 ea	Warranty - 5 year compressor (self-contained only), please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics		
	2 ea	Warranty - 3 year parts and labor, please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics		
	2 ea	1-1/2" diameter dual wheel castors, standard		
N129	1 ea	<b>HOT DOG GRILL</b> APW Wyott Model No. HRS-45 X*PERT™ HotRod® Hot Dog Grill, Tru-Turn rollers, infinite controls, removable grease pan, stainless steel exterior, coated steel bottom, UL, CSA, NSF, CE		
	1 ea	1 year limited warranty, standard		
	1 ea	(2) 120v/60/1-ph, 1465 watts, 12.1 amps, NEMA 5-15P, standard [service class A-2 business day lead time]		
N153	1 ea	<b>GAS COUNTERTOP GRIDDLE</b>		



Item	Qty	Description
		<p>Vulcan Model No. VCRG48-T Griddle, countertop, gas, 48" W x 20-1/2" D cooking surface, 1" thick polished steel griddle plate,(4) burners, fully welded, embedded mechanical snap action thermostat every 12", millivolt pilot safety, low profile, 4-1/2" grease can capacity, heavy gauge (1) drawer, stainless steel front, sides &amp; front top ledge, 4" adjustable legs, 100,000 BTU, CSA, NSF</p> <p>1 ea 1 year limited parts &amp; labor warranty, standard 1 ea Natural gas (specify elevation if over 2,000 ft.) (LP gas conversion kit supplied with unit) 1 kt Dormont 1675KIT48 QUICK DISCONNECT KIT 3/4" X 48"</p>
N154	1 ea	<p><b>EQUIPMENT STAND, REFRIGERATED BASE</b> True Manufacturing Co., Inc. Model No. TRCB-48 Refrigerated Chef Base, 48-3/8"L, one-piece 300 series 18 gauge stainless steel top with V edge, stainless steel front/sides, aluminum back, aluminum interior with stainless steel floor, (2) drawers [accommodates (2) 12"x20"x4" pan/drawer, NOT included], 4" castors, 1/5 HP, 115v/60/1, 5.4 amps, NEMA 5-15P, cULus, UL EPH Classified, MADE IN USA</p> <p>1 ea Self-contained refrigeration standard 1 ea Warranty - 5 year compressor (self-contained only), please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics 1 ea Warranty - 3 year parts and labor, please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics 1 ea 4" Castors, standard</p>
N155	1 ea	<p><b>CHARBROILER, GAS, COUNTERTOP</b> Vulcan Model No. VACB25 Achiever Charbroiler, countertop, 25-1/8", (4) 17,000 BTU cast iron burners, infinite heat control valves, fully welded chassis, (1) drip tray, stainless steel front, sides &amp; top trim, backsplash &amp; grease trough, 4" adjustable legs, 68,000 BTU, CSA, NSF</p> <p>1 ea 1 year limited parts &amp; labor warranty, standard 1 ea Gas type to be specified 1 kt Dormont 1675KIT48 QUICK DISCONNECT KIT 3/4" X 48"</p>
N157	1 ea	<p><b>HOTPLATE, COUNTERTOP, GAS</b> Vulcan Model No. VHP212U Achiever Hotplate, gas, 12", countertop, (1) 30,000 BTU open burner, (1) 30,000 BTU step-up open burner, lift-off burner heads, protected standing pilots, cast iron top grates, infinite heat controls, stainless steel front with "Cool Bullnose", sides &amp; backsplash, aluminized pull out crumb tray, 4" adjustable legs, 60,000 BTU, CSA, NSF</p> <p>1 ea 1 year limited parts &amp; labor warranty, standard 1 ea Gas type to be specified 1 kt Dormont 1675KIT48 QUICK DISCONNECT KIT 3/4" X 48"</p>

Item	Qty	Description
N158	1 ea	<p><b>MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR</b></p> <p>True Manufacturing Co., Inc. Model No. TSSU-27-12M-B-ADA-HC            ADA Compliant Mega Top Sandwich/Salad Unit, (9) 1/6 &amp; (3) 1/9 size (4"D) poly pans, stainless steel insulated cover, 8-7/8"D cutting board, stainless steel top, front and sides, aluminum back, (1) door, (2) shelves, aluminum interior with stainless steel floor, 3" castors, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1, 3.5 amps, NEMA 5-15P, cULus, UL EPH Classified, 34" work surface height, MADE IN USA</p> <p>1 ea Warranty - 3 year parts and labor, please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics</p> <p>1 ea Self-contained refrigeration standard</p> <p>1 ea Warranty - 5 year compressor (self-contained only), please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics</p> <p>1 ea 3" castors, standard</p>
		
N160	2 ea	<p><b>GARBAGE CAN</b></p> <p>Rubbermaid Commercial Products Model No. FG354060BLA            TRASH CONT SLIM JIM 23 GL BK</p>
		
N168	1 ea	<p><b>SNEEZE GUARDS</b></p> <p>BSI Model No. CUSTOM FOOD SERVING            Zguard: 49" + 49" --- Includes (2) ZGUARD 9500-2 Adjustable w/ Top Shelf Series End Post(s) BRUSHED ALUMINUM Finish, (1) ZGUARD 9500-2 Adjustable w/ Top Shelf Series Center Post(s) BRUSHED ALUMINUM Finish, 3/8" tempered glass front panels and 3/8" topshelves, (1) 1/4" tempered glass RIGHT end panel, (1) 1/4" tempered glass LEFT end panel, ZGuard Mounting Method MW1- surface mount Heavy Duty flange, Unit shall be shipped knocked down to accommodate packing and shipping. Some assembly is required on-site by others., (242) # shipping weight each. Does not include Heat Lamps or Lights</p>
<b>GRAB N GO-ICE CREAM</b>		
N-102	1 ea	<p><b>HAND SINK</b></p> <p>Custom Fab Model No. PBHS-W-1410-P-SSLR-X            Pro-Bowl Hand Sink, wall mount, 14"W x 10" front-to-back x 5" deep bowl, splash mount faucet holes with 4" centers, 1-7/8" drain opening with basket drain, with left &amp; right side splashes, includes mounting bracket, all stainless steel construction, NSF, CSA-Sanitation (splash mount faucet included) (Available in Effingham and Nevada)</p> <p>1 ea John Boos Standard flyer accessories only, NO modifications to flyer items allowed or their accessories</p> <p>1 kt PB-SMMK-90 Splash Mount Faucet Mounting Kit, includes (2) 1/2" supply nipples, (2) retainer nuts, (2) lock washers, (2) rubber washers and (2) male &amp; female short 90° elbows</p>
		

Item	Qty	Description
N-109	1 ea	<p><b>WORK TABLE, 36", STAINLESS STEEL TOP</b></p> <p>Custom Fab Model No. ST6R5-3036SSK-X</p> <p>Work Table, 36"W x 30"D, 16/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs &amp; adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation, KD (Available in Effingham and Nevada)</p> 
	1 ea	<p>John Boos Standard flyer accessories only, NO modifications to flyer items allowed or their accessories</p> <p><b>**Item per the floor plan**</b></p>
N126	2 ea	<p>Stoelting Model No. F131-38I2</p> <p>Soft-Serve Freezer, counter top, 22"W x 28-1/2"D x 34-3/4"H, air cooled, (2) flavors with twist, gravity, (2) 12 quart hoppers, &amp; (2) 3.4 quart freezing cylinder, IntelliTec2™ control, self-closing spigot, low mix light, stainless steel exterior, 12,000 BTU/hour compressor, (2) 3/4-hp motors, 208-240v/60/1-ph, UL, cUL, NSF (Mix inlet regulator required)</p> 
	2 ea	1 year parts & labor warranty, standard (US Only)
	2 ea	5 year warranty on compressor, evaporator/hopper assembly, drive motor, speed reducer, auger shaft & auger flights (against breakage) standard
	2 ea	F131-38I2/START-UP FEE Factory Start-up Fee, for F131-38I2 (net)
	4 ea	2149243-01 2A Carb Assembly 3/16" hole, for models E131, F131, F144, SF144, F231 & SF121 (included)
N131	2 ea	<p><b>FLAT LID DISPLAY FREEZER</b></p> <p>Nor-Lake Model No. FTB52-12</p> <p>Flat Lid Display Freezer, 14.0 cu. ft., 52" W, sliding glass doors with lid lock &amp; keys, (4) baskets &amp; dividers, interior LED lighting, external analog thermometer display, bottom drain with plug, (4) casters, white powder coated interior &amp; exterior, self-contained refrigeration, 1/3 HP, 115v/60/1-ph, 1.3 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation</p> 
	2 ea	Standard warranty: 1 year parts and labor warranty
	2 ea	Replacement Parts warranty: 90 day warranty on replacement parts
N132	1 ea	<p><b>DISPLAY CASE, REFRIGERATED/NON-REFRIG</b></p> <p>Federal Industries Model No. CGR5042DZ</p> <p>Curved Glass Vertical Dual Zone Bakery Case Refrigerated Left Non-Refrigerated Right, 50"W x 35"D x 42"H, self contained refrigeration with condensate evaporator, adjustable temperature control, curved thermopane tilt-front glass, LED top light &amp; lighted shelves, (2) tiers of adjustable white wire shelves, glass sliding rear doors, white interior, tempered glass ends, choice of laminate with black trim, designed for continuous lineups, 1/3 HP, UL, UL EPH CLASSIFIED</p> 
	1 ea	One year parts & labor warranty



Item	Qty	Description
	1 ea	Self-contained refrigeration standard
	1 ea	120v/60/1-ph, 1/3 hp, 8.0 amps
	1 ea	Cord & plug (6ft. cord not available on hot deli)
	1 ea	Five year compressor warranty, standard (for self-contained units only)
	1 ea	Laminate standard color - Black
<b>N133</b>	<b>1 ea</b>	<b>CONVECTION OVEN, ELECTRIC</b>
		Equipex Model No. FC-60 Sodir Ariel Convection Oven, electric, compact, single-deck, (4) 1/2 size sheet pan capacity, 570°F thermostatic controls with 120 min. timer, rear fan, (4) 13"x18" wire shelves, stainless steel construction, double glass door, internal light, 208/240v/60/1-ph, 13.0/15.0 amps, 3.3 kW, NEMA 6-20P, cULus, cULus Classified
	1 ea	Limited 1 year parts & labor warranty
<b>N134</b>		<b>PRETZEL DISPLAY</b> Pretzel Display: BY OTHERS
<b>N135</b>	<b>1 ea</b>	<b>POPCORN POPPER</b>
		Gold Medal Products Model No. 2011EN Pop-O-Gold Popcorn Machine, electric, countertop, 32 oz. kettle capacity, Bag-In-A-Box oil system, Big Eye Electronic Heat control system, pre-wired for pump system, brute force kettle drive motor, neon dome, 5760 watts, 24 amps, NEMA L14-20P (electrical requirements subject to change, contact factory for exact specifications)
	1 ea	All information and pricing is subject to change without notice; contact Gold Medal Products Co. for the most up-to-date pricing and information.
	1 ea	2 year parts and 6 months labor warranty, standard (contact factory for more information)
<b>N136</b>	<b>1 ea</b>	<b>REFRIGERATED WORK TOP</b>
		True Manufacturing Co., Inc. Model No. TWT-60-HC Work Top Refrigerator, two-section, stainless steel top with rear splash, front & sides, (2) stainless steel doors, (4) shelves, aluminum interior with stainless steel floor, (2) stainless steel doors, 5" castors, rear mount, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1, 4.0 amps, NEMA 5-15P, cULus, UL EPH Classified, MADE IN USA
	1 ea	Self-contained refrigeration standard
	1 ea	Warranty - 5 year compressor (self-contained only), please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics
	1 ea	Warranty - 3 year parts and labor, please visit <a href="http://www.Truemfg.com">www.Truemfg.com</a> for specifics
	1 ea	5" Castors, standard
<b>N-138</b>	<b>3 ea</b>	<b>WORK TABLE, 60", STAINLESS STEEL TOP</b>

Item	Qty	Description
		Custom Fab Model No. ST6R5-3060SSK-X Work Table, 60"W x 30"D, 16/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation, KD (Available in Effingham and Nevada)
N139		<b>COFFEE MAKER</b> Coffee Maker: NIC
N152		<b>HOT CHOCOLATE</b> Hot chocolate: NIC
N156		<b>ICEE DISP</b> Icee Disp: NIC
N160	2 ea	<b>GARBAGE CAN</b> Rubbermaid Commercial Products Model No. FG354060BLA TRASH CONT SLIM JIM 23 GL BK
		
<b>BEVERAGE ISLAND</b>		
N137		<b>ICEE DISP</b> Icee Disp: NIC
N141		<b>SODA FOUNTAIN</b> Soda Fountain: NIC
<b>B-I-B CLOSET</b>		
N140		<b>FILTER</b> Water Filter: NIC
N142		<b>CARBONATOR</b> Carbonator: NIC
<b>CASHIER STATION</b>		
N130	2 ea	<b>OPEN DISPLAY MERCHANDISER</b> Federal Industries Model No. RSSM-678SC Specialty Display High Profile Self-Serve Refrigerated Merchandiser, 71"W x 35"D x 78"H, self contained refrigeration, energy saving night curtain, LED top light, (4) tiers of adjustable black metal shelves, stainless steel display deck, black interior, tempered glass ends, choice of laminate, designed for continuous lineups, condensate evaporator provided, DOE 2012 compliant, UL, UL EPH CLASSIFIED
	2 ea	One year parts & labor warranty
	2 ea	Self-contained refrigeration standard
	2 ea	208-240v/60/1-ph, standard
	2 ea	Five year compressor warranty, standard (for self-contained units)

---

only)

2 ea Laminate standard color -Black

---

N161

1 ea **HORIZONTAL AIR CURTAIN MERCHANDISER**



True Manufacturing Co., Inc. Model No. THAC-60-S-LD  
Horizontal Air Curtain Merchandiser, 60-1/8"L, 43-3/8"H, (3) level  
tiered stainless steel floor, stainless steel exterior & interior, deck  
pans, LED interior lighting, leg levelers, self-contained refrigeration,  
3/4 HP, 115v/60/1, 15.0 amps, NEMA 5-20P, cULus, UL EPH Classified,  
MADE IN USA

- 1 ea Warranty - 3 year parts and labor, please visit [www.Truemfg.com](http://www.Truemfg.com) for specifics
  - 1 ea Self-contained refrigeration standard
  - 1 ea Warranty - 5 year compressor (self-contained only), please visit [www.Truemfg.com](http://www.Truemfg.com) for specifics
  - 1 ea Exterior: Stainless steel, std.
- 
-